


TOPKIT G25 / 13C

POTAIN 

Cotes Abmessungen Dimensions Dimensiones



▲ Flèche Ausleger 55m
▲ Jib Flecha 55m

Mâtère Mast Mast Mástil
1,6m x 1,6m

Mâtère Mast Mast Mástil
2m x 2m

PA455


SB455

BA45A

PA663

VB 663

$$H = H_{\text{max}} + 0.7$$



F = Reactions Eckdrücke Reactions Reacciones

F2	● 92t	● 132t
F3	● 64t	● 107t
	37t	


F1	● 71t	● 96t
	46t	

Voir si-contre
Siehe nebenstehend
See opposite
Ver página opuesta


F2	● 99t	● 165t
F3	● 66t	● 134t
	42t	

F1	● 80t	● 115t
	61t	

Courbes de charges Lastkurven Load diagrams Curvas de cargas



Télescopage sur dalles - Kettkrane im Gebäude
Climbing crane - Telecopage gruas trepadoras



A Distance entre cadres / Abstand zwischen den Rahmen / Distance between collars / Distancia entre marcos
 H1 Hauteur grue / Kranhöhe / Crane height / Altura grúa
 P Poids de la grue / Krangelicht / Crane weight / Peso de la grúa
 R Reaction horizontale / Horizontalkräfte / Horizontal reaction / Reacción horizontal

● En service / In Betrieb / In service / En servicio
 ● Hors service / Ausser Betrieb / Out of service / Fuera de servicio
 ○ A vide sans lest, avec fleche et hauteur maximum. / Ohne Last und Ballast mit Maximalausleger und Maximalhöhe. / Without load and ballast with longest jib and maximum height. / Sin cargas, sin lastre con flecha y altura máxima

POTAIN TOPKIT G25 13C